FB 300B

BATTERY POWERED REVERSIBLE VIBRATORY PLATE



Emission free compaction of sand, gravel and rock fill.

All our machines are versatile and easy to operate. They are also durable and reliable, which means lower operating and maintenance costs



- The Swepac FB 300B is ideal for work in areas where combustion engines should not be used, such as trenches, tunnels, urban areas or indoor construction.
- Operating time up to 2 hours thanks to the powerful 6.6 kWh Lithium-Ion battery.
- 4 hour charging time with 40 A charger
- Battery operation gives low running costs
- Very easy to maintain and service no air filter or engine oil change. No handling of fuel
- An easy to maneuver machine with a robust frame that protects battery and motor
- Superior ergonomics with an efficiently devibrated handle

TECHNICAL DATA – SWEPAC FB 300B		
Weight, net	289 kg	
Base plate, width x ler	ngth 600 x 720 mm	
Height, max / min	1230 / 1150 mm	
Length, max / min	1470 / 790 mm	
Motor	10.0 kW IPM synchronous DC motor	
Type of battery	6.6 kWh Lithium-Ion	
Voltage	48 V	
Centrifugal force	38 kN	
Frequency	82 Hz	
Working speed	0-25 m/min	

Hand/arm vibrations according to ISO 5349 on gravel surface	< 2,5 m/s ²
Guaranteed sound-power level, LwA	103 dB(A)
Sound pressure level (at operator's ear), OP	89 dB(A)

PART	NUMBER
306200 1009314	FB300B with 6.6 kWh onboard battery 40A Charger incl casing for FB200B/300B

ACCESSORIES

06205	Vulkollan plate for FB300B

FB300B_2023

SWEDOC